

**IN THE CLAIMS:**

**Claims 4-6, 12-13, 24-29, 79-87, 95-96 and 101-104 are cancelled.**

**Claims 32-78 were previously withdrawn following a restriction requirement.**

**Please amend the claims as indicated below:**

1. (Currently amended) A method of brokering data between handheld wireless devices and data rendering devices, comprising:

selecting data from a wireless device (WD) for rendering at a publicly available data rendering device (DRD) further comprising at least one of an a video monitor, an Internet Kiosk, a multimedia projector, or an ATM machine, said DRD with a location not yet known by the WD;

receiving a request from the WD at the network supporting said WD to locate at least one DRD in accordance with a combination of the WD's geographic location and a WD user profile associated with the WD;

locating at least one DRD located near said WD and matching the WD user profile;

identifying to the WD at least one DRD located near said WD and matching the WD user profile to the WD in response to said request and

selecting a DRD; and

transferring the data to said DRD for rendering from memory associated with the WD.

2.(Previously amended) The method of claim 1 including a step wherein said DRD renders the data only after a render command is provided to said DRD through said WD.

3. (Original) The method of claim 2 wherein said render command includes a passcode.

4. (Cancelled).

5. (Cancelled).

6. (Cancelled).

7. (Previously amended) The method of claim 1 wherein the data is rendered by said DRD after said render command is provided by a WD user on a user interface associated with said DRD.

8. (Currently amended) The method of claim 1 wherein the data is retrieved from a ~~mailbox~~memory assigned to the WD user only after the WD user provides a passcode to said DRD.

9. (Previously amended) The method of claim 8 wherein said passcode is provided to said DRD by the WD.

10. (Previously amended) The method of claim 8 wherein said passcode is provided at a user interface associated with said DRD.

11. (Previously amended) The method of claim 8 wherein said command includes decryption coding.

12. (Cancelled).

13. (Cancelled).

14. (Previously amended) The method of claim 1 including a step wherein said network resource provides the WD with a passcode for use on an interface integrated with said DRD to cause said DRD to render the data.

15. (Currently amended) A method of brokering data between a wireless device (WD) and a data rendering device (DRD) further comprising at least one of an a video monitor, an Internet Kiosk, a multimedia projector, or an ATM machine, said DRD not assigned to the WD and accessible to WD users, wherein a WD user performs the following steps at the WD:

selecting data to render at a DRD;

entering a DRD locator request with a network supporting the WD to find at least one DRD located near the WD, said locator request including WD location information;

receiving DRD location information at said WD for the at least one DRD located near the WD, wherein said DRD location information is based on said WD location information;

selecting a DRD for rendering the data; and

requesting at the WD that the data be transferred to said DRD through the network supporting the WD.

16. (Previously amended) The method of claim 15 wherein the data is transferred to said DRD via at least one network supporting communication of the data to said DRD from the network supporting said WD following the request by said user to transfer the data to said DRD.

17. (Previously amended) The method of claim 16 wherein the network supporting said WD facilitates transfer of the data to said DRD from a memory associated with the WD via said at least one network supporting communication of data to said DRD.

18. (Previously amended) The method of claim 17 wherein said step of requesting that the data be transferred to said DRD is followed by a step that includes entering a passcode by the WD user at said DRD to render the data.

19. (Previously amended) The method of claim 16 wherein the data is retrieved from a mailbox assigned to said WD only after a passcode is provided to said DRD by the WD user.

20. (Original) The method of claim 19 wherein said passcode is provided to said DRD by said WD.

21. (Original) The method of claim 19 wherein said passcode is provided at a user interface associated with said DRD.

22. (Previously amended) The method of claim 15 wherein said DRD renders data after a render command is provided to said DRD by the WD user.

23. (Original) The method of claim 22 wherein said render command includes a passcode.

24. (Cancelled).

25. (Cancelled).

26. (Cancelled).

27. (Cancelled).

28. (Cancelled).

29. (Cancelled).

30. (Currently amended) A method of brokering data between wireless devices and data rendering devices, comprising enabling a user of a wireless device (WD) to perform the following steps:

a user of a WD requesting support from a network supporting the WD to assist the user in locating at least one data rendering device (DRD) further comprising at least one of an a video monitor, an Internet Kiosk, a multimedia projector, or an ATM machine, said DRD not assigned to the WD and physically accessible to the user of the WD, said locating executed by the network in accordance with a WD user profile located in at least one of the WD and/or the network and the geographic location of the WD;

receiving DRD location information at the WD for the at least one DRD located near the WD, wherein the DRD location information is based on said WD geographic location of the WD and the WD user profile;

selecting a DRD for rendering data;

selecting data for rendering at the DRD; and

providing the data via the network supporting the WD to the DRD for rendering.

31. (Previously amended) The invention of claim 30, wherein the DRD renders the data after a render command is provided at the DRD by the user associated with the WD.

Claims 32-78 (Previously Withdrawn)

79. (Cancelled).

80. (Cancelled).

81. (Cancelled).

82. (Cancelled).

83. (Cancelled).

84. (Cancelled)